VILLAGE OF PORT EDWARDS Port Edwards, Wisconsin

COMMITTEE: Streets, Infrastructure, Recreation & Cemetery

DATE: August 15, 2017

TO: JOSEPH ZURFLUH

cc: JOHN BINGHAM ERIK SAYLOR RICK PIETTE
DANA DUNCAN SUE MITCHELL JP LACHAPELLE
LUANN MARTINSON TIARA GRUNDEN DAILY TRIBUNE
DIANE TREMMEL JIM LEISER WFHR/WGLX

JIM SCHUERMAN JENNIFER IVERSON

Purpose of Meeting: Regular Monthly Meeting

Attendance: J. Bingham, E. Saylor, D. Duncan, J. Zurfluh, D. Stewart and R. Piette

Citizens: Guy Detlefsen, Thomas Dachel, Ed Altmann and Dave Alnes

Subjects Discussed, Action Taken, and Board Action Required:

- 1. *Call to order:* Meeting called to order at 5:01 pm.
- 2. Public Comment: None.
- 3. Chairman's Comments: None.
- 4. Resident would like to have discussion on flushing hydrant located in public right-of-way in front of home at 431 Fillmore Avenue: He wants the hydrant moved or a box flush with the ground. Chairman Bingham will respond to Mr. Detlefsen personally.
- 5. Resident would like to have discussion on condition of Nepco Lake Road: Ed Altman appearing and asking for action on the road. Contractors are using the road and impacting the wear and tear on the road.
- 6. *Discussion on Wisconsin Rapids planned Aquatic Center and impact to Port Edwards residents:* Will be a presentation next month.
- 7. Review and discussion of MSA contract for splash pad design:

 MOTION by D. Duncan, 2nd by E. Saylor to table until September as the Village Attorney requests more time to review the contract.
- 8. *Update on Polk water main replacement:* Waiting for the DNR authorization for the water main. Hoping it will be this week.
- 9. *Update on 4th Street, Tyler Avenue, Polk Avenue and the alley project:* Project continues, prep work being done.
- 10. Update on 2017 street maintenance projects:

- 11. *Discussion and possible action on utility bill for meter that may not have had accurate readings:* MOTION by E. Saylor, 2nd by D. Duncan to credit 221 Island Avenue.
- 12. Review of water utility test results for DNR water quality sampling:
- 13. Review and discussion on current sewer rates for Wastewater Treatment:

 MOTION by D. Duncan, 2nd by E. Saylor to increase the rate up to 10%. Passed unanimously.
- 14. Administrator Updates:
 - Status of Badger Beacon install.
 - ❖ Status of Port Road Facility wetland non-compliance.
 - Status of 2017 sidewalk replacements.
 - **Status of solar powered cross walk lights at ERCO.**
- 15. Correspondence received: Nothing noted.
- 16. Agenda items for next meeting: Nothing noted.
- 17. Set next meeting date: Nothing noted.
- 18. Motion to adjourn: Nothing noted.

Dana W. Duncan Committee Secretary

DWD:kh